

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - STRUCTURE

INCIDENT NUMBER: CVE 2013 08 13 05 02

Location of Incident: **105 - 2200 53RD AVE
 VERNON BC**

of Occupants (At time of fire): **2** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: \$ **s.22**

Related to Wildland Interface Fire: **NO** Property Value: \$ **s.22** Content Value: \$ **s.22** Total Value at Risk: **s.22**

Code Name : Code Description

PROPERTY COMPLEX : 3400 RESIDENTIAL - SINGLE DETACHED
 PROPERTY CLASSIFICATION : 3110 YEAR-ROUND USE DWELLING - 1-FAMILY
 GENERAL CONSTRUCTION : 2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST
 BUILDING HEIGHT : 0010 1 STORY ABOVE GRADE
 GROUND FLOOR AREA : 2000 101 TO 500M2 (1077 - 5382FT2)
 YEAR OF CONSTRUCTION : 2005 2005
 MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION
 OUTSIDE FIRE PROTECTION : 1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
 SPRINKLER PROTECTION : 7000 NO SPRINKLER PROTECTION
 AUTOMATIC FIRE ALARM SYSTE : 1000 NO FIRE ALARM SYSTEM
 SMOKE ALARM OPERATION : 6000 ALARM NOT ACTIVATED - UNSUITABLE LOCATION
 INITIAL DETECTION : 7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
 TRANSMISSION OF ALARM : 1000 911
 FIRE SERVICE : 3000 COMPOSITE - CAREER & VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT
 INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED
 ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT
 METHOD OF FIRE CONTROL : 4300 38MM/42MM (1 1/2"/1 3/4") HOSE - 2 OR MORE HAND LINES
 FIRE ORIGIN, LEVEL : 3000 GROUND FLOOR, GRADE LEVEL OR GRADE TO 3M (10FT)
 FIRE ORIGIN, AREA : 7600 EXTERIOR WALL
 EXTENT OF FIRE : 5000 CONFINED TO BUILDING OF ORIGIN
 EXTENT OF DAMAGE : 5000 CONFINED TO BUILDING OF ORIGIN
 IGNITING OBJECT : 8200 EXPOSURE, STRUCTURE DETACHED
 FUEL OR ENERGY : 8000 EXPOSURE FIRE
 FORM OF HEAT : 4000 DIRECT FLAME
 MATERIAL FIRST IGNITED : 0000 CANNOT BE DETERMINED

Investigating Officer	LAFC Badge #	Telephone	ReportDate
SKOLROOD, LAWRIE	735	250-550-3563	2014-01-20

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **CVE 2013 08 13 05 02**

Remarks:

THIS WAS AN EXPOSURE FIRE CAUSED BY FIRE SPREADING FROM THE NEIGHBORING HOUSE WHICH CAUGHT FIRE DUE TO AN ELECTRICAL FAULT.

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SKOLROOD, LAWRIE	735	250-550-3563	2014-01-20

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **CVE 2013 08 13 05 02**

Name no. : 1
Name : s.22
Address : 105 - 2200 53RD AVE
VERNON BRITISH COLUMBIA V1T 9N8

Name Status : OWNER
Phone : s.22

Claims Adjuster Name : 1. LEUNG / 2. CAMPBELL , JANIS, DALE
Claims Adjuster Firm : 1. RSA / 2. CLAIMS PRO
Claim Number : s.22
Insurance Company : 1. RSA / 2. BCAA
Policy Number : s.22

LOSS ESTIMATES:

Property Loss : \$ s.22

Content Loss : s.22

Total Loss : \$ s.22

REMARKS:

Investigating Officer	LAFC Badge #	Telephone	ReportDate
SKOLROOD, LAWRIE	735	250-550-3563	2014-01-20

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - STRUCTURE

INCIDENT NUMBER: CLA 2013 12 08 21 01

Location of Incident: **20333 GRADE CRESCENT
 LANGLEY CITY BC**

of Occupants (At time of fire): **1** # of Injured: **0** # of Deaths: **1** Total Dollar Loss Estimate: \$ **s.22**

Related to Wildland Interface Fire: **NO** Property Value: **s.22** Content Value: \$ **s.22** Total Value at Risk: \$ **s.22**

Code Name : Code Description

PROPERTY COMPLEX : 3400 RESIDENTIAL - SINGLE DETACHED
 PROPERTY CLASSIFICATION : 3110 YEAR-ROUND USE DWELLING - 1-FAMILY
 GENERAL CONSTRUCTION : 2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST
 BUILDING HEIGHT : 0020 2 STORIES ABOVE GRADE
 GROUND FLOOR AREA : 2000 101 TO 500M2 (1077 - 5382FT2)
 YEAR OF CONSTRUCTION : 1977 1977
 MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION
 OUTSIDE FIRE PROTECTION : 1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
 SPRINKLER PROTECTION : 7000 NO SPRINKLER PROTECTION
 AUTOMATIC FIRE ALARM SYSTE : 1000 NO FIRE ALARM SYSTEM
 SMOKE ALARM OPERATION : 0000 ALARM OPERATION CANNOT BE DETERMINED
 INITIAL DETECTION : 7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
 TRANSMISSION OF ALARM : 1000 911
 FIRE SERVICE : 3000 COMPOSITE - CAREER & VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT
 INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED
 ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT
 METHOD OF FIRE CONTROL : 4300 38MM/42MM (1 1/2"/1 3/4") HOSE - 2 OR MORE HAND LINES
 FIRE ORIGIN, LEVEL : 3000 GROUND FLOOR, GRADE LEVEL OR GRADE TO 3M (10FT)
 FIRE ORIGIN, AREA : 1400 LOUNGE, LIVING ROOM - INCLUDES MUSIC ROOM, COMMON ROOM, TV R
 EXTENT OF FIRE : 5000 CONFINED TO BUILDING OF ORIGIN
 EXTENT OF DAMAGE : 5000 CONFINED TO BUILDING OF ORIGIN
 IGNITING OBJECT : 5100 PERMANENT ELECTRIC WIRING, CABLE (NON-ALUMINUM) - INCLUDES P
 FUEL OR ENERGY : 6000 ELECTRICITY
 FORM OF HEAT : 2000 SPARK, ELECTRICAL - INCLUDES ARC, DISCHARGE. (EXCLUDES STATI
 MATERIAL FIRST IGNITED : 9000 BUILDING COMPONENT - WALL. (EXCLUDES EXTERIOR WALL CLASSIFIE
 ACT OR OMISSION : 4400 ELECTRICAL SHORT CIRCUIT

Investigating Officer	LAFC Badge #	Telephone	ReportDate
SANDERS, DAVID	1360	604-514-2883	2014-02-21

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **CLA 2013 12 08 21 01**

Remarks:

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SANDERS, DAVID	1360	604-514-2883	2014-02-21

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **CLA 2013 12 08 21 01**

Name no. : 1
 Name : s.22
 Address : 20333 GRADE CRESENT
 LANGLEY CITY BRITISH COLUMBIA

Name Status : OWNER
 Phone :

Claims Adjuster Name :
 Claims Adjuster Firm :
 Claim Number :
 Insurance Company :
 Policy Number :

LOSS ESTIMATES:

Property Loss : \$ s.22 Content Loss : \$ s.22 Total Loss : s.22

REMARKS:

Name no. : 2
 Name : s.22
 Address : 20333 GRADE CRESENT
 LANGLEY CITY BRITISH COLUMBIA

Name Status : OWNER
 Phone :

Claims Adjuster Name :
 Claims Adjuster Firm :
 Claim Number :
 Insurance Company :
 Policy Number :

LOSS ESTIMATES:

Property Loss : \$0 Content Loss : \$0 Total Loss : \$0

REMARKS:

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SANDERS, DAVID	1360	604-514-2883	2014-02-21

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (CASUALTY)

INCIDENT NUMBER: **CLA 2013 12 08 21 01**

CASUALTY NO : 1

NAME : s.22

ADDRESS : 20333 GRADE CRESCENT
LANGLEY CITY BRITISH COLUMBIA

AGE : s.22

GENDER : F

STATUS : CIVILIAN

DATE OF DEATH : 2013-12-08 (YYYY MM DD)

Code Name : Code Description

NATURE OF CASUALTY : 001 - DEATH

CONDITION OF CASUALTY : 010 - CONDITION OF CASUALTY UNKNOWN

ACTION OF CASUALTY : 020 - ACTION OF CASUALTY UNKNOWN

IGNITION OF CLOTHING : 030 - NOT APPLICABLE

TYPE OF FABRIC IGNITED : 040 - NOT APPLICABLE

CAUSE OF FAILURE TO ESCAPE : 050 - UNKNOWN

CAUSE OF INJURY/DEATH : 100 - SMOKE INHALATION

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SANDERS, DAVID	1360	604-514-2883	2014-02-21

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - STRUCTURE

INCIDENT NUMBER: CVE 2013 08 13 05 01

Location of Incident: **106 - 2200 53 RD AVE
 VERNON BC**

of Occupants (At time of fire): **1** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: \$ **s.22**

Related to Wildland Interface Fire: **NO** Property Value: **s.22** Content Value: \$ **s.22** Total Value at Risk: \$ **s.22**

Code Name :	Code Description
PROPERTY COMPLEX :	3400 RESIDENTIAL - SINGLE DETACHED
PROPERTY CLASSIFICATION :	3110 YEAR-ROUND USE DWELLING - 1-FAMILY
GENERAL CONSTRUCTION :	2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST
BUILDING HEIGHT :	0010 1 STORY ABOVE GRADE
GROUND FLOOR AREA :	2000 101 TO 500M2 (1077 - 5382FT2)
YEAR OF CONSTRUCTION :	2005 2005
MANUAL FIRE PROTECTION :	7000 NO MANUAL FIRE PROTECTION
OUTSIDE FIRE PROTECTION :	1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
SPRINKLER PROTECTION :	7000 NO SPRINKLER PROTECTION
AUTOMATIC FIRE ALARM SYSTE :	1000 NO FIRE ALARM SYSTEM
SMOKE ALARM OPERATION :	6000 ALARM NOT ACTIVATED - UNSUITABLE LOCATION
INITIAL DETECTION :	7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
TRANSMISSION OF ALARM :	1000 911
FIRE SERVICE :	3000 COMPOSITE - CAREER & VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT
INCIDENT :	1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN :	3000 EXTINGUISHED BY FIRE DEPARTMENT
METHOD OF FIRE CONTROL :	4300 38MM/42MM (1 1/2"/1 3/4") HOSE - 2 OR MORE HAND LINES
FIRE ORIGIN, LEVEL :	3000 GROUND FLOOR, GRADE LEVEL OR GRADE TO 3M (10FT)
FIRE ORIGIN, AREA :	7600 EXTERIOR WALL
EXTENT OF FIRE :	6000 EXTENDED BEYOND PROPERTY OF ORIGIN
EXTENT OF DAMAGE :	6000 EXTENDED BEYOND BUILDING OF ORIGIN
IGNITING OBJECT :	5100 PERMANENT ELECTRIC WIRING, CABLE (NON-ALUMINUM) - INCLUDES P
FUEL OR ENERGY :	6000 ELECTRICITY
FORM OF HEAT :	2000 SPARK, ELECTRICAL - INCLUDES ARC, DISCHARGE. (EXCLUDES STATI
MATERIAL FIRST IGNITED :	3000 EXTERIOR WALL COVERING, SURFACE, FINISH - INCLUDES EAVE
ACT OR OMISSION :	4400 ELECTRICAL SHORT CIRCUIT

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SKOLROOD, LAWRIE	735	250-550-3563	2014-01-20

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **CVE 2013 08 13 05 01**

Remarks:

THE CAUSE OF THIS FIRE WAS AN ELECTRICAL FAILURE IN THE METER BASE FOR THIS DWELLING. DUE TO THE AMOUNT OF DAMAGE, THE CAUSE OF THIS FAILURE AND THE RESULTING ARC FLASH WAS NOT DETERMINED

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SKOLROOD, LAWRIE	735	250-550-3563	2014-01-20

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **CVE 2013 08 13 05 01**

Name no. : 1
 Name : s.22
 Address : 106 - 2200 53RD AVE.
 VERNON BRITISH COLUMBIA

Name Status : OWNER
 Phone : s.22

Claims Adjuster Name : 1. DOLLINGER , ANDREA
 Claims Adjuster Firm : 1. CLAIMS PRO
 Claim Number :
 Insurance Company : 1. GORE MUTUAL
 Policy Number : s.22

LOSS ESTIMATES:

Property Loss : \$ s.22 Content Loss : s.22 Total Loss : \$ s.22

REMARKS:

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SKOLROOD, LAWRIE	735	250-550-3563	2014-01-20

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE**
 INCIDENT NUMBER: **NLW 2013 01 22 15 01**

Location of Incident: **3371 CAZAKOFF ROAD
 BLEWETT BC V1L 6X2**

of Occupants (At time of fire): **1** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: **\$0**

Related to Wildland Interface Fire: **NO** Property Value: **\$0** Content Value: **\$0** Total Value at Risk: **\$0**

Code Name :	Code Description
PROPERTY COMPLEX :	3400 RESIDENTIAL - SINGLE DETACHED
PROPERTY CLASSIFICATION :	3110 YEAR-ROUND USE DWELLING - 1-FAMILY
GENERAL CONSTRUCTION :	0000 CANNOT BE DETERMINED
BUILDING HEIGHT :	0000 CANNOT BE DETERMINED
GROUND FLOOR AREA :	0000 CANNOT BE DETERMINED
YEAR OF CONSTRUCTION :	0000 CANNOT BE DETERMINED
MANUAL FIRE PROTECTION :	0000 CANNOT BE DETERMINED
OUTSIDE FIRE PROTECTION :	0009 OUTSIDE FIRE PROTECTION - UNCLASSIFIED (DESCRIBE)
SPRINKLER PROTECTION :	0000 CANNOT BE DETERMINED
AUTOMATIC FIRE ALARM SYSTE :	0000 CANNOT BE DETERMINED
SMOKE ALARM OPERATION :	0000 ALARM OPERATION CANNOT BE DETERMINED
INITIAL DETECTION :	0000 CANNOT BE DETERMINED
TRANSMISSION OF ALARM :	1000 911
FIRE SERVICE :	2000 VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT ONLY
INCIDENT :	1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN :	3000 EXTINGUISHED BY FIRE DEPARTMENT
METHOD OF FIRE CONTROL :	4300 38MM/42MM (1 1/2"/1 3/4") HOSE - 2 OR MORE HAND LINES
FIRE ORIGIN, LEVEL :	0000 CANNOT BE DETERMINED
FIRE ORIGIN, AREA :	0000 CANNOT BE DETERMINED
EXTENT OF FIRE :	5000 CONFINED TO BUILDING OF ORIGIN
EXTENT OF DAMAGE :	5000 CONFINED TO BUILDING OF ORIGIN
IGNITING OBJECT :	0000 CANNOT BE DETERMINED
FUEL OR ENERGY :	0000 CANNOT BE DETERMINED
FORM OF HEAT :	0000 CANNOT BE DETERMINED
MATERIAL FIRST IGNITED :	0000 CANNOT BE DETERMINED
ACT OR OMISSION :	0000 CANNOT BE DETERMINED

Investigating Officer	L AFC Badge #	Telephone	ReportDate
VERIGIN, PAUL	N/A	250-354-1004	2014-05-15

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **NLW 2013 01 22 15 01**

Remarks:

FULLY INVOLVED STRUCTURE FIRE. NO FOUL PLAY SUSPECTED, TOTAL LOSS.

Investigating Officer	L AFC Badge #	Telephone	ReportDate
VERIGIN, PAUL	N/A	250-354-1004	2014-05-15

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **NLW 2013 01 22 15 01**

Name no.	:	1	Name Status	:	OWNER
Name	:	s.22	Phone	:	
Address	:				

Claims Adjuster Name	:	
Claims Adjuster Firm	:	
Claim Number	:	
Insurance Company	:	
Policy Number	:	

LOSS ESTIMATES:

Property Loss : \$0	Content Loss : \$0	Total Loss : \$0
---------------------	--------------------	------------------

REMARKS:

DOLLAR LOSS IS UNKNOWN.

Investigating Officer	L AFC Badge #	Telephone	ReportDate
VERIGIN, PAUL	N/A	250-354-1004	2014-05-15

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE**

INCIDENT NUMBER: **CPA 2013 07 31 15 02**

Location of Incident: **4703 GLENSIDE ROAD
 PORT ALBERNI BC V9Y5W6**

of Occupants (At time of fire): **1** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: **\$0**

Related to Wildland Interface Fire: **NO** Property Value: **\$0** Content Value: **\$0** Total Value at Risk: **\$0**

Code Name :	Code Description
PROPERTY COMPLEX :	3400 RESIDENTIAL - SINGLE DETACHED
PROPERTY CLASSIFICATION :	3110 YEAR-ROUND USE DWELLING - 1-FAMILY
GENERAL CONSTRUCTION :	2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST
BUILDING HEIGHT :	0010 1 STORY ABOVE GRADE
GROUND FLOOR AREA :	2000 101 TO 500M2 (1077 - 5382FT2)
YEAR OF CONSTRUCTION :	0046 1946 TO 1950
MANUAL FIRE PROTECTION :	7000 NO MANUAL FIRE PROTECTION
OUTSIDE FIRE PROTECTION :	1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
SPRINKLER PROTECTION :	7000 NO SPRINKLER PROTECTION
AUTOMATIC FIRE ALARM SYSTE :	1000 NO FIRE ALARM SYSTEM
SMOKE ALARM OPERATION :	0000 ALARM OPERATION CANNOT BE DETERMINED
INITIAL DETECTION :	7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
TRANSMISSION OF ALARM :	1000 911
FIRE SERVICE :	1000 CAREER FIRE DEPARTMENT ONLY
INCIDENT :	1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN :	3000 EXTINGUISHED BY FIRE DEPARTMENT
METHOD OF FIRE CONTROL :	4700 COMBINATIONS OF 38/42MM (1 1/2"/1 3/4"), 65MM (2 1/2"), 7
FIRE ORIGIN, LEVEL :	9000 EXPOSURE FIRE
FIRE ORIGIN, AREA :	9980 EXPOSURE - INCLUDING SMOKE DAMAGE
EXTENT OF FIRE :	6000 EXTENDED BEYOND PROPERTY OF ORIGIN
EXTENT OF DAMAGE :	6000 EXTENDED BEYOND BUILDING OF ORIGIN
IGNITING OBJECT :	8200 EXPOSURE, STRUCTURE DETACHED
FUEL OR ENERGY :	8000 EXPOSURE FIRE
FORM OF HEAT :	6000 HOT OBJECT - DIRECT HEAT BY CONDUCTION OR RADIATION, NO DIRE
MATERIAL FIRST IGNITED :	4000 EXTERIOR TRIM & APPURTENANCE - INCLUDES DOOR, PORCH, PLATFOR

Investigating Officer	LAFC Badge #	Telephone	ReportDate
THOEN, RANDY	1957	250-720-2542	2013-08-20

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **CPA 2013 07 31 15 02**

Remarks:

DAMAGE TO THIS PROPERTY WAS CAUSED BY EXPOSURE TO INC#130731150

Investigating Officer	L AFC Badge #	Telephone	ReportDate
THOEN, RANDY	1957	250-720-2542	2013-08-20

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **CPA 2013 07 31 15 02**

Name no.	: 1	Name Status	: OWNER
Name	: s.22	Phone	: s.22
Address	: 4703 GLENSIDE ROAD PORT ALBERNI BRITISH COLUMBIA V9Y 5W6		

Claims Adjuster Name	:	
Claims Adjuster Firm	:	1. COASTAL COMMUNITY INSURANCE SERVICES
Claim Number	:	s.22
Insurance Company	:	1. INTACT INSURANCE COMPANY OF CANADA
Policy Number	:	s.22

LOSS ESTIMATES:

Property Loss : \$0	Content Loss : \$0	Total Loss : \$0
---------------------	--------------------	------------------

REMARKS:

AT THE TIME OF THIS REPORT, THE NAME OF THE ADJUSTER, PROPERTY VALUE AND DAMAGE VALUE FOR PROPERTY/CONTENTS WERE NOT AVAILABLE.

Investigating Officer	LAFC Badge #	Telephone	ReportDate
THOEN, RANDY	1957	250-720-2542	2013-08-20

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - STRUCTURE

INCIDENT NUMBER: CSY 2013 12 26 07 03

Location of Incident: **8362 120 ST
 SURREY BC**

of Occupants (At time of fire): **20** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: \$ **s.22**

Related to Wildland Interface Fire: **NO** Property Value: **s.22** Content Value: \$ **s.22** Total Value at Risk: \$ **s.22**

Code Name :	Code Description
PROPERTY COMPLEX :	3200 RESIDENTIAL - APARTMENT
PROPERTY CLASSIFICATION :	3230 APARTMENT, TOWNHOUSE - 5 TO 20 UNITS WITH BUSINESS
GENERAL CONSTRUCTION :	2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST
BUILDING HEIGHT :	0020 2 STORIES ABOVE GRADE
GROUND FLOOR AREA :	3000 501 TO 1000M2 (5383 - 10764FT2)
YEAR OF CONSTRUCTION :	0061 1961 TO 1965
MANUAL FIRE PROTECTION :	4000 EXTINGUISHER ONLY
OUTSIDE FIRE PROTECTION :	1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
SPRINKLER PROTECTION :	7000 NO SPRINKLER PROTECTION
AUTOMATIC FIRE ALARM SYSTE :	2000 FIRE ALARM SYSTEM - LOCAL (BUILDING ONLY)
SMOKE ALARM OPERATION :	6000 ALARM NOT ACTIVATED - UNSUITABLE LOCATION
INITIAL DETECTION :	2000 SMOKE DETECTOR DEVICE
TRANSMISSION OF ALARM :	1000 911
FIRE SERVICE :	3000 COMPOSITE - CAREER & VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT
INCIDENT :	1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN :	3000 EXTINGUISHED BY FIRE DEPARTMENT
METHOD OF FIRE CONTROL :	4200 38MM OR 42MM (1 1/2" OR 1 3/4") HOSE - 1 HAND LINE
FIRE ORIGIN, LEVEL :	4000 2ND STOREY OR OVER 3M TO 6M (10FT TO 20FT) ABOVE GRADE
FIRE ORIGIN, AREA :	1010 HALLWAY, CORRIDOR
EXTENT OF FIRE :	4000 CONFINED TO FLOOR LEVEL OF ORIGIN
EXTENT OF DAMAGE :	4000 CONFINED TO FLOOR LEVEL OF ORIGIN
IGNITING OBJECT :	0000 CANNOT BE DETERMINED
FUEL OR ENERGY :	0000 CANNOT BE DETERMINED
FORM OF HEAT :	0000 CANNOT BE DETERMINED
MATERIAL FIRST IGNITED :	0000 CANNOT BE DETERMINED
ACT OR OMISSION :	0000 CANNOT BE DETERMINED

Investigating Officer	LAFC Badge #	Telephone	ReportDate
BERG, FRED	2061	604-543-6700	2014-04-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **CSY 2013 12 26 07 03**

Remarks:

EXTENSIVE DAMAGE TO UPPER FLOOR FIRE STARTED TO HALLWAY ENTRANCE TO EXIT STAIRWELL HEAVY DAMAGE TO FIRE ORIGIN AREA & APARTMENT CLOSEST TO THE FIRE ORIGIN ALL OTHER SUITES HAD SMOKE & HEAT DAMAGE FIRE CAUSE UNKNOWN LOWER FLOOR BUSINESS ONLY RECIEVED, WATER DAMAGE

Investigating Officer	L AFC Badge #	Telephone	ReportDate
BERG, FRED	2061	604-543-6700	2014-04-07

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **CSY 2013 12 26 07 03**

Name no. : 1
 Name : UNKNOWN, UNKNOWN
 Address : 0

Name Status : BUSINESS OWNER
 Phone :

Claims Adjuster Name :
 Claims Adjuster Firm :
 Claim Number :
 Insurance Company :
 Policy Number :

LOSS ESTIMATES:

Property Loss : \$ **s.21** Content Loss : **s.21** Total Loss : \$ **s.21**

REMARKS:

Investigating Officer	L AFC Badge #	Telephone	ReportDate
BERG, FRED	2061	604-543-6700	2014-04-07

